


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application: Durham Kenimer 
 Serial No: 10/786,614
 Filed: February 25, 2004
 Title: Flow Control and Operation Monitoring System for
 Individual Spray Nozzles
 Commissioner for Patents
 U.S. Patent and Trademark Office
 Post Office Box 1450
 Alexandria, VA 22313-1450

Examiner: Rose Mary Miller
 Art Unit: 2856
 Confirmation No: 2054
 Deposit Account: 04-1403
 Customer No: 22827

AMENDMENT

This is a response/amendment/letter in the above-identified application and includes the herewith attachment of same date and subject which is incorporated hereinto by reference and the signature below is to be treated as the signature to the attachment in absence of a signature thereto.

Fee requirements (if any) have been calculated as shown below:

Claims remaining after amendment	Highest number previously paid for	Present Extra	Additional Fee
Total Effective Claims <u>55</u> minus <u>55</u> = <u>0</u> X \$50 =			\$ <u>0.00</u>
Independent Claims <u>3</u> minus <u>3</u> = <u>0</u> x \$200 =			\$ <u>0.00</u>
If amendment enters <u>proper</u> multiple dependent claim(s) into this application for <u>first</u> time, add \$290.00 (per application)			\$ <u>0.00</u>
Since Official Action set an <u>original</u> due date of _____, PETITION is hereby made for an extension to cover the date this response is filed for which the requisite fee is enclosed (1 month \$120; 2 months \$450; 3 months \$1020; 4 months \$1590, 5 months \$2,160)			\$ <u>0.00</u>
If Terminal Disclaimer enclosed, add Rule 20(d) Official Fee (\$130.00)			\$ <u>0.00</u>
SUBTOTAL:			\$ <u>0.00</u>
If "small entity" verified statement filed [<input type="checkbox"/>] previously, [<input type="checkbox"/>] herewith, enter one-half (1/2) of subtotal and <u>subtract</u>			\$ <u>0.00</u>
TOTAL:			\$ <u>0.00</u>

ATTORNEY DOCKET NO: CPS-2

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Durham Kehmer Giles)	Examiner: Rose Mary Miller
Serial No: 10/786,614)	Art Unit: 2856
Filed: February 25, 2004)	Confirmation No: 2054
Title: Flow Control and Operation Monitoring)	Deposit Acct. No: 04-1403
System for Individual Spray Nozzles)	Customer No: 22827

AMENDMENT

Commissioner of Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

In response to the Office Action dated May 17, 2007, with regard to the above-captioned application, please find attached:

A Complete Listing of the Claims is provided for the Examiner's convenience beginning on page 2, and

Remarks beginning on page 10.